NOTICE OF PUBLIC HEARING

APPLICATION OF THE GAS COMPANY, LLC dba HAWAII GAS FOR APPROVAL OF RATE INCREASES AND REVISED RATE SCHEDULES AND RULES

Docket No. 2017-0105

The PUBLIC UTILITIES COMMISSION of the STATE OF HAWAII ("Commission") pursuant to Hawaii Revised Statutes ("HRS") §§ 269-12 and 269-16, HEREBY GIVES NOTICE that it will hold a public hearing relating to the Application of THE GAS COMPANY, LLC dba HAWAII GAS ("Hawaii Gas"), for Approval of Rate Increases and Revised Rate Schedules and Rules ("Application").

The Commission will hold a public hearing as follows:

Wednesday, December 20, 2017, 3:00 p.m. Kulana 'Oiwi Office of Hawaiian Affairs Conference Room 600 Maunaloa Highway Kaunakakai, Hawaii 96748

The Commission will investigate whether the proposed revenue increases, changes in rate schedules and rules, and other matters proposed in the Application are just and reasonable.

Hawaii Gas seeks approval for an increase in revenues of \$14,962,297, or a 14.58% increase over revenues at present rates (consolidated utility basis), based on a total revenue requirement of \$117,559,397 and a rate of return of 7.51% (which incorporates a return on equity of 10.50%), for the 2018 Test Year.

According to Hawaii Gas, the proposed change in revenues, by each island, is as follows:

<u>Island</u>	Change in Revenues	<u>Percentage</u>
Oahu	\$15,195,520	16.20%
Hawaii	\$(380,989)	-6.10%
Maui	\$232,115	12.42%
Kauai	\$(90,593)	-14.60%
Molokai	\$(90)	-0.13%
Lanai	<u>\$6,334</u>	28.29%
	\$14,962,297	

With respect to Hawaii Gas' existing base rates, Hawaii Gas states that: (1) the "specific increase (dollars and percentage) by class of service" are set forth in the testimony and exhibits to the Application, and (2) in general, "[t]he average system wide rate increase is 14.73%" and Hawaii Gas' "proposal is to create a single residential rate for Maui, Lanai, and Molokai and to not have rate decreases for any specific customer class." Hawaii Gas also requests, among other things, approval for various changes to its rate schedules and rules.

At the public hearing, the Commission will receive in-person testimony from the general public regarding the Application and the proposed rate increases and revised rate schedules and rules, pursuant to HRS § 269-16(b).

The purpose of the public hearing is to listen to the views expressed by the general public. All interested persons are invited to attend the public hearing to state their views on the Application, orally, in writing, or both. So that all in attendance will have the opportunity to speak at the public hearing, the Commission may impose time limits for each person's testimony.

In addition, written comments may be mailed to the Commission at 465 South King Street, Room 103, Honolulu, Hawaii, 96813, or sent by electronic mail to

puc.comments@hawaii.gov. Written comments should reference Docket No. 2017-0105,

and include the author's name and the entity or organization that the author represents.

Any motions to intervene or participate in this proceeding must comply with

the applicable provisions of the Commission's Rules of Practice and Procedure Before

the Public Utilities Commission, Hawaii Administrative Rules, Title 6, Chapter 61, and

must be filed with the Commission at its Honolulu Office by January 2, 2018.

The foregoing is a summary of the proposals in Hawaii Gas' Application.

The Application is available for public review through the Commission's electronic

Document Management System, at http://dms.puc.hawaii.gov/dms/. Copies of the

Application are also available for review by contacting Hawaii Gas, the Commission's

Maui District Office [(808) 984-8182] or its Honolulu Office [(808) 586-2020], or the

Consumer Advocate [(808) 586-2800].

Special accommodations for persons with disabilities can be made if requested

reasonably in advance by contacting the Commission's Honolulu Office.

Randy Iwase

Chair

Honolulu Star-Advertiser: November 29, 2017; December 6, 13 and 18, 2017

The Maui News: November 29, 2017; December 6, 13 and 18, 2017

3